


# GARDEN PUMPS

## CAST IRON "VILLAGE" PUMPS

IDEAL GARDEN DECORATION – HAND WORKING – 7m SUCTION IF USED WITH FOOTVALVE

**E**

MODEL	Kg	H mm	W1 mm	W2 mm	W3 mm	CODE	PRICE
PITCHER PUMP (SINK TYPE)	6	390	165	190	340	050-230	
HAND PUMP	16	640	160	330	650	050-232	
EXTENSION BASE HAND PUMP	19	690	240	–	–	050-234	
90° WALL FLANGE FOR HAND PUMP	2	–	–	–	–	050-236	
ROSE PUMP	17	640	160	330	650	050-11404	
ROSE BASE	19	690	240	–	–	050-11405	
BARREL DISPLAY & PUMP	11	–	–	–	–	050-15141	
TEAPOT PUMP	82	1180	300	400	600	050-11408	
STANDING IRON TAP	47	1220	260	400	–	050-15121	
WALL IRON TAP	17	700	430	230 deep	–	050-15131E	
IRON NOSTALGIC BASIN	32	645	210	430	–	050-15104	
NOSTALGIC HAND PUMP	50	1540	150	600	750	050-11409	



Barrel Display & Pump

## VERSAILLES STAINLESS STEEL WATER FEATURE PUMPS

E

MODEL	Kg	H x W x L mm	LM/HM	kW	CODE	PRICE
VERSAILLES 160/8	7	178 x 178 x 425	160/7	0.45	555-072	
VERSAILLES 250/10	7.8	178 x 178 x 620	250/10	0.9	555-074	
VERSAILLES 350/12	9.3	178 x 178 x 620	350/12	1.2	555-076	

### ACCESSORIES

VULCANO FOUNTAIN HEAD	010-002
GAISER FOUNTAIN HEAD	010-004
CAMPANA FOUNTAIN HEAD	010-006
FILTER CARTRIDGE FOR 160/8	010-021
FILTER CARTRIDGE FOR 250/10 & 350/12	010-023

Versailles stainless steel water feature pumps. Supplied with 1/4"-1" plastic reducer to accept the fountain head optional accessories. 10 metres of power cable. The sponge filters are optional accessories and should be used where impurities in the water are less than 1.5mm. Maximum submersion depth is 7 metres.



Filter



Campana



Vulcano



Gaiser



### APPROX DIAMETER & HEIGHT OF WATER FEATURES IN CM

MODEL	VULCANO	GAISER	CAMPANA
VERSAILLES 160/8	Ø 180 - H 360	Ø 20 - H 110	Ø 90 - H 45
VERSAILLES 250/10	Ø 230 - H 500	Ø 30 - H 180	Ø 95 - H 45
VERSAILLES 350/12	Ø 300 - H 600	Ø 50 - H 250	Ø 100 - H 45

### LEO SUBMERSIBLE IRRIGATION WATER BUTT PUMP

16MM OUTLET 230v

MODEL	Kg	H x W x L mm	LM/HM	kW	CODE	PRICE
LEO XKS 230v	4.0	406 x 178 x 178	37/11	0.3	LEO XKS304P	

Submersible water butt pump ideal for garden irrigation



WATER BUTT PUMP

## GARDEN PUMPS

### PRATIKA – STAINLESS STEEL MULTISTAGE PUMP

1 1/4" OUTLET 230v

**D**

MODEL	Kg	H x W x L mm	LM/HM	kW	CODE	PRICE
PRATIKA MANUAL	10.8	406 x 178 x 178	110/45	1.2	022-824	
PRATIKA AUTO	10.8	406 x 178 x 178	110/45	1.2	022-822	

The Pratika pumps are portable and ready to use for installation in traditional wells, water deposits and collection tanks. Also suitable for small scale irrigation systems. CLEAN WATER ONLY with no suspended solids or abrasive material. All stainless steel apart from the impellers and diffusers which are made from Noryl. NBR lip sealed followed by a carbon ceramic seal. Supplied with 15 metres of power cable and a hosetail. Maximum submersion depth 10 metres.



Pratika Auto

### DEEP 1200 AUTOMATIC

1" OUTLET 230v

**D**

MODEL	Kg	H x W x L mm	LM/HM	kW	CODE	PRICE
DEEP 1200 AUTO	10.8	400 x 150 x 150	95/48	1.1	022-832	

Deep is mainly of plastic construction. This submersible pump is portable and ready to use for installation in traditional wells, water deposits and collection tanks. Suitable for small scale irrigation systems. CLEAN WATER ONLY with no suspended solids or Abrasive material. Maximum submersion depth 10m. Complete with 15m of cable, non-return valve and hose tail.



DEEP 1200

### ECOPOND

230v 1" INLET & OUTLET

**E**

MODEL	Kg	H x W x L	LM/HM	WATT	CODE	PRICE
ECOPOND 60	3.8	175 x 195 x 250	60/5	180	022-070	
ECOPOND 100	3.8	175 x 195 x 250	100/7	260	022-072	
ECOPOND 180	5.6	175 x 195 x 250	180/10	650	022-073	

Ecopond – complete with on/off switch, 1 metre of power cable and plug. **Not** self priming and must not be allowed to run dry. Maximum suction height of 2 metres with a footvalve. Suitable for pond circulation and chlorinated water.



ECOPOND

### GARDENJET KITS 230v C/W SUCTION KIT, HANDLE AND LEAD

**E**

MODEL	Kg	H x W x L	LM/HM	kW	CODE	PRICE
PURA GARDENJET	8.5	184 x 174 x 360	45/37	0.5	022-420	
GARDEN JETINOX 1000	10	190 x 178 x 351	60/46	0.8	022-422	

Pura Gardenjet / Garden Jetinox – c/w handle, on/off switch and power cable. 1" inlet/outlet. Impeller, diffuser/venturi system made from technopolymer. Pura – Noryl pump body. Jetinox – stainless steel. Clean water only with a maximum temperature of 50°C. Maximum suction height of 7 metres. Pura c/w 4 metre suction kit with footvalve for the inlet. No hosetail for the outlet. Jetinox c/w 7 metre suction kit with footvalve for the inlet. Hosetail supplied for the outlet. Both can be used to draw water from wells, waterbutts etc to operate sprinklers and waterguns for irrigation purposes. For hoses see page 54.



GARDEN JETINOX 1000

### SUCTION KITS COMPLETE WITH FOOTVALVE

**E**

MODEL	KG	CODE	PRICE
KA-4 1" 4 Metres c/w Footvalve	3	060-380	
KA-7 1" 7 Metres c/w Footvalve	4	060-382	
KA-4 Max 1 1/4" 4 Metres c/w Footvalve	3	060-384	
KA-7 Max 1 1/4" 7 Metres c/w Footvalve	4	060-386	

KA Suction Kits complete with plastic footvalve and plastic strainer. KA Max Kits complete with plastic footvalve and plastic strainer. Both kits have plastic nipple to connect to the pump.



KA SUCTION KIT

## NINPHAEA MINI FOUNTAIN PUMPS

**E**

MODEL	LH/HM	kW	CODE	PRICE
700	700/1.45	13	010-040	
1100	1100/1.90	20	010-050	
2500	2500/2.35	45	010-060	
3800	3800/2.60	75	010-070	
5000	4800/3.70	95	010-090	

### Approx Diameter & Height of Water Features

MODEL	Fig 1 (H1/Ø cm)	Fig 2 (H1/H2/Ø cm)	Fig 3 (H1/H2/H3/Ø cm)	Fig 4 (Ø cm)	Fig 5 (H/Ø cm)
700	90/102	-	-	19	13/27
1100	73/86	105/75/90	-	35	-
2500	82/86	170/110/138	141/102/92/132	79	-
3800	155/210	210/180/250	208/125/113/155	75	-
5000	170/235	245/180/250	208/140/125/180	90	-

Applications – For ponds and filters, designed for private leisure purposes in garden ponds for example. Unsuitable for prolonged industrial type use.

Model 700 is for fountain use only. Models 1100-5000 can be used as fountains and/or to filter systems. Maximum submersion depth 3 metres.



Fig 1 One Way



Fig 2 Two Way



Fig 3 Three Way



Fig 4 Bell



Fig 5 Cone

